



**USA HOSPITALITY**  
**BATH & FLOOR**




# USA Hospitality

# **BATH & FLOOR**

Your Path to Beautiful Flooring Begins Here.

[www.usahospitalitytn.com](http://www.usahospitalitytn.com)



**TABLE OF CONTENTS**

01. SPC Flooring..... 04-15

02. Porcelain Surround ..... 16-23

03. Porcelain Tiles..... 24-27

04. Cultured Marble ..... 28-29

05. Cultured Marble Shower Pan .... 30-33

06. Regular Shower Pan ..... 34-35

07. Accessories - Trim ..... 36-37

08. Accessories - Foot Rest ..... 38-39

09. Accessories - Shampoo Dish..... 40-41

10. Glass Door ..... 42-43

11. Faucet ..... 44-50

12. Accessories ..... 51



# SPC Flooring - Antique Oak



Construction	
Color name	: Antique Oak
Color code	: USA22235
Size	: 7 x 48 inch
Thickness	: 5MMSPC + 1.5MMIXPE
Wear Layer	: 0.7mm (28 mil)
Pcs per Pack	: 10 pcs
Quantity Per Pack	: 23.9002SQ.FT

Specification Sheet	Result
Classification	: 42
Density	: 2.03 - 2.05g/cm <sup>3</sup>
Peel Strength	: 2.8Kgf/2cm
Chemical Resistance	: Pass
Color fitness to	: Pass.≥ Grade 6
Artificial Light	
Castor Chair Suitability	: Pass Type W
Residual Indentation	: Pass.≤0.1mm

Specification Sheet	Result
Abrasion Group	: Group T
Dimensional Stability	: Pass 0.1%
Curling	: ≤2 mm
Sound Reduction	: 2 db
Slip Resistance	: R10 class DS
Electrical Resistance	: Pass
Thermal Resistance	: Pass 0.038m <sup>2</sup> K/V
Fungus Resistance	: No Growth
Behavior to Fire	: Bfl - S1

## Technical Specifications



Pet & Family Friendly



Scratch & Dent Resistant



Waterproof



Easy Installation



4-Seasons



Comfortable & Quiet



# SPC Flooring - Classic Oak



Construction	
Color name	: Classic Oak
Color code	: USA22236
Size	: 7 x 48 inch
Thickness	: 5MMSPC + 1.5MMIXPE
Wear Layer	: 0.7mm (28 mil)
Pcs per Pack	: 10 pcs
Quantity Per Pack	: 23.9002SQ.FT

Specification Sheet	Result
Classification	: 42
Density	: 2.03 - 2.05g/cm <sup>3</sup>
Peel Strength	: 2.8Kgf/2cm
Chemical Resistance	: Pass
Color fitness to	: Pass.≥ Grade 6
Artificial Light	
Castor Chair Suitability	: Pass Type W
Residual Indentation	: Pass.≤0.1mm

Specification Sheet	Result
Abrasion Group	: Group T
Dimensional Stability	: Pass 0.1%
Curling	: ≤2 mm
Sound Reduction	: 2 db
Slip Resistance	: R10 class DS
Electrical Resistance	: Pass
Thermal Resistance	: Pass 0.038m <sup>2</sup> K/V
Fungus Resistance	: No Growth
Behavior to Fire	: Bfl - S1

## Technical Specifications



Pet & Family Friendly



Scratch & Dent Resistant



Waterproof



Easy Installation



4-Seasons



Comfortable & Quiet



# SPC Flooring - Charming Oak



Construction	
Color name	: Charming Oak
Color code	: USA22243
Size	: 7 x 48 inch
Thickness	: 5MMSPC + 1.5MMIXPE
Wear Layer	: 0.7mm (28 mil)
Pcs per Pack	: 10 pcs
Quantity Per Pack	: 23.9002SQ.FT

Specification Sheet	Result
Classification	: 42
Density	: 2.03 - 2.05g/cm <sup>3</sup>
Peel Strength	: 2.8Kgf/2cm
Chemical Resistance	: Pass
Color fitness to Artificial Light	: Pass.≥ Grade 6
Castor Chair Suitability	: Pass Type W
Residual Indentation	: Pass.≤0.1mm

Specification Sheet	Result
Abrasion Group	: Group T
Dimensional Stability	: Pass 0.1%
Curling	: ≤2 mm
Sound Reduction	: 2 db
Slip Resistance	: R10 class DS
Electrical Resistance	: Pass
Thermal Resistance	: Pass 0.038m <sup>2</sup> K/V
Fungus Resistance	: No Growth
Behavior to Fire	: Bfl - S1

## Technical Specifications



Pet & Family Friendly



Scratch & Dent Resistant



Waterproof



Easy Installation



4-Seasons



Comfortable & Quiet



# SPC Flooring - Elegant Oak



Construction	
Color name	: Elegant Oak
Color code	: USA22244
Size	: 7 x 48 inch
Thickness	: 5MMSPC + 1.5MMIXPE
Wear Layer	: 0.7mm (28 mil)
Pcs per Pack	: 10 pcs
Quantity Per Pack	: 23.9002SQ.FT

Specification Sheet	Result
Classification	: 42
Density	: 2.03 - 2.05g/cm <sup>3</sup>
Peel Strength	: 2.8Kgf/2cm
Chemical Resistance	: Pass
Color fitness to	: Pass.≥ Grade 6
Artificial Light	
Castor Chair Suitability	: Pass Type W
Residual Indentation	: Pass.≤0.1mm

Specification Sheet	Result
Abrasion Group	: Group T
Dimensional Stability	: Pass 0.1%
Curling	: ≤2 mm
Sound Reduction	: 2 db
Slip Resistance	: R10 class DS
Electrical Resistance	: Pass
Thermal Resistance	: Pass 0.038m <sup>2</sup> K/V
Fungus Resistance	: No Growth
Behavior to Fire	: Bfl - S1

## Technical Specifications



Pet & Family  
Friendly



Scratch & Dent  
Resistant



Waterproof



Easy  
Installation



4-Seasons



Comfortable  
& Quiet



# SPC Flooring - Wild Oak



Construction	
Color name	: Wild Oak
Color code	: USA22258
Size	: 7 x 48 inch
Thickness	: 5MMSPC + 1.5MMIXPE
Wear Layer	: 0.7mm (28 mil)
Pcs per Pack	: 10 pcs
Quantity Per Pack	: 23.9002SQ.FT

Specification Sheet	Result
Classification	: 42
Density	: 2.03 - 2.05g/cm <sup>3</sup>
Peel Strength	: 2.8Kgf/2cm
Chemical Resistance	: Pass
Color fitness to	: Pass.≥ Grade 6
Artificial Light	
Castor Chair Suitability	: Pass Type W
Residual Indentation	: Pass.≤0.1mm

Specification Sheet	Result
Abrasion Group	: Group T
Dimensional Stability	: Pass 0.1%
Curling	: ≤2 mm
Sound Reduction	: 2 db
Slip Resistance	: R10 class DS
Electrical Resistance	: Pass
Thermal Resistance	: Pass 0.038m <sup>2</sup> K/V
Fungus Resistance	: No Growth
Behavior to Fire	: Bfl - S1

## Technical Specifications



Pet & Family Friendly



Scratch & Dent Resistant



Waterproof



Easy Installation




4-Seasons



Comfortable & Quiet

# SPC Flooring - Modern Oak



Construction	
Color name	: Modern Oak
Color code	: USA22259
Size	: 7 x 48 inch
Thickness	: 5MMSPC + 1.5MMIXPE
Wear Layer	: 0.7mm (28 mil)
Pcs per Pack	: 10 pcs
Quantity Per Pack	: 23.9002SQ.FT

Specification Sheet	Result
Classification	: 42
Density	: 2.03 - 2.05g/cm <sup>3</sup>
Peel Strength	: 2.8Kgf/2cm
Chemical Resistance	: Pass
Color fitness to Artificial Light	: Pass.≥ Grade 6
Castor Chair Suitability	: Pass Type W
Residual Indentation	: Pass.≤0.1mm

Specification Sheet	Result
Abrasion Group	: Group T
Dimensional Stability	: Pass 0.1%
Curling	: ≤2 mm
Sound Reduction	: 2 db
Slip Resistance	: R10 class DS
Electrical Resistance	: Pass
Thermal Resistance	: Pass 0.038m <sup>2</sup> K/V
Fungus Resistance	: No Growth
Behavior to Fire	: Bfl - S1

## Technical Specifications



Pet & Family Friendly



Scratch & Dent Resistant



Waterproof



Easy Installation



4-Seasons







Comfortable & Quiet








# Porcelain Surround



**Design Name** : Statuario Rhyme  
**Design Variation** : Random Design

**Size** : 32 x 32 inch  
**Finish** : Glossy



**Design Name** : Statuario Rhyme  
**Design Variation** : Random Design

**Size** : 32 x 63 inch  
**Finish** : Glossy



Heat Resistant



Frost Resistant



Easy to Clean



Scratch Proof



ACID Resistant



# Porcelain Surround



**Design Name** : Tora White  
**Design Variation** : Random Design

**Size** : 32 x 32 inch  
**Finish** : Glossy



**Design Name** : Tora White  
**Design Variation** : Random Design

**Size** : 32 x 63 inch  
**Finish** : Glossy



Heat Resistant



Frost Resistant



Easy to Clean






Scratch Proof



ACID Resistant

# Porcelain Surround



**Design Name** : Statuario Wind  
**Design Variation** : Random Design

**Size** : 32 x 72 inch  
**Finish** : Glossy



Heat Resistant



Frost Resistant



Easy to Clean




Scratch Proof



ACID Resistant

# Porcelain Surround



**Design Name** : Grisial Gray  
**Design Variation** : Random Design

**Size** : 32 x 72 inch  
**Finish** : Glossy



Heat Resistant



Frost Resistant



Easy to Clean







Scratch Proof



ACID Resistant




# Porcelain Tiles



**Design Name** : Rioja Series

**Size** : 12 X 24 inch



**Rioja P2**

**Rioja P3**

**Rioja P4**

**Rioja P5**

## Technical Specifications



Stain Resistant



Exclusive Natural Wooden Textures



Super Flatness



HD Clarity



Low Maintenance



High Body Strength



# Porcelain Tiles

## Application

We have landed Habitat, a proposal entirely dedicated to All Habitual Spaces. An evolution capable of giving shape and design to Urban Areas with a strong architectural presence from Interior to Exterior coverings and floors and Heavy Duty, High Traffic areas such as malls, airports & Shops.



Celtis Wood



Fire Wood



Repal Junk



Roar Gray



Tera Wood Gray



Latte Wood



Size : 8 x 48 inch

Finish : Matte

## Technical Specifications



Stain Resistant



Exclusive Natural Wooden Textures



Super Flatness



HD Clarity




Low Maintenance



High Body Strength

# Cultured Marble



## Item Number

S-DL-6X24

## Applications

Tub and Shower Surrounds

Hospitality | Multifamily | Senior Living |

Student Housing | Military Housing

**Colors :** Customized Colors available\*

## Standard Features

- ◆ 6" X 24" smooth block pattern
- ◆ 2" integral accent bands
- ◆ solid one piece groutless panels
- ◆ Permanently sealed surface
- ◆ Will not mold or mildew
- ◆ Oversized - measure , cut and fit on jobsite
- ◆ Easy to Install
- ◆ Easy to Maintain

## Technical Specifications

<b>Model</b>	: 6" X 24" Bordeaux
<b>Pattern</b>	: Smooth, stacked blocks, pattern with integral bands
<b>Material</b>	: Cast Marble
<b>Panel Widths</b>	: 32" - designated left and right 36" - designated left and right 62" - designated right
<b>Height</b>	: Up to 96" max
<b>Thickness</b>	: 1/4"
<b>Finish</b>	: Matte/Gloss

# Cultured Marble Shower Pan



### Item Number

TD - 3060 - OS4

### Applications

Hospitality | Multifamily | Senior Living |  
Student Housing | Military Housing

Colors : Customized Colors available\*

### Technical Specifications

<b>Model</b>	: Trench Drain
<b>Special Feature</b>	Designed to fit the footprint of a tub
<b>Pan Size</b>	: 30" X 60"
<b>Floor Pattern</b>	: Traditional
<b>Material</b>	: Cultured Marble
<b>Panel Widths</b>	: 32" - designated left and right 36" - designated left and right 62" - designated right
<b>Height</b>	: Up to 96" max
<b>Thickness</b>	: 1/4"
<b>Finish</b>	: Matte , Textured, Non-slip
<b>Backwall</b>	: 59 7/8"
<b>Side Walls</b>	: 30"

### Technical Specifications

<b>DRAIN Location</b>	: Offset -(specify left or right)
<b>Center of</b>	: 14" 1/4" from backwall,
<b>Drain Measures</b>	: 4" from side wall
<b>Dimensions</b>	: Note- Finished Product Dimensions may vary +/- 1/8" from drawings
<b>Drain Opening</b>	: 3 1/4"
<b>Trench Width</b>	: 5"
<b>Drain Cover</b>	: 25"
<b>FrontCurb</b>	: Integral , 3" w x 4" h
<b>Flange</b>	: 1" on side and backwalls - integrated molding at factory
<b>Weight</b>	: -175#




# Cultured Marble Shower Pan

## Standard Features


- ◆ Solid one piece cast marble
- ◆ Durable get coat surface
- ◆ Pre-leveled-rests on subfloor
- ◆ Extremely sanitary
- ◆ Will not mold or mildew
- ◆ Easy to install
- ◆ Maintenance free
- ◆ Trench drain with removable cover for easy cleaning
- ◆ Recommended add Shower Pan Liners to protect pans during construction

### TD-3060(4")-OS/SF-L




Finished product dimensions may vary by +/- 1/8" from drawings.

### TD-3060(4")-OS/SF-R



Finished product dimensions may vary by +/- 1/8" from drawings.


1" Flange integrated molding at factory on Back & Sides



Integral Curb 3" Tall

Left Hand Drain Shown. Left & Right Hand Drain Available.


### Drain Details



### Drain Cover



### Section Detail





# Regular Shower Pan



## Item Number

60033897

## Applications


Anti-slip finish at bottom

## Technical Specifications

<b>Model</b>	: Regular Shower Pan
<b>Length</b>	: 1520 mm
<b>Tolerance</b>	: $\pm 4$ mm
<b>Min</b>	: 1516 mm
<b>Max</b>	: 1524 mm

## Technical Specifications

<b>Width</b>	: 760 mm
<b>Tolerance</b>	: $\pm 2$ mm
<b>Min</b>	: 758 mm
<b>Max</b>	: 762 mm
<b>Dimension</b>	: $\pm 3$ mm



# Accessories - Trim



## Item Number

TR-32



**Recommended Use :**  
seam trim for tub and shower panel systems

### Standard Features

- ◆ Smooth Finish
- ◆ Double Radius Edges
- ◆ Solid one - piece construction
- ◆ Seamless
- ◆ Permanently sealed surface
- ◆ Extremely sanitary
- ◆ Will not mold or mildew
- ◆ Easy to install
- ◆ Easy to maintain

### Technical Specifications

- Model** : TR-32
- Material** : Cultured Marble
- Size** : 2" wide, 5/16" thick
- Finish** : Matte/Gloss



# Accessories - Foot Rest



## Item Number

FR - 03- 27

FR -03- 30


## Standard Features

- ◆ Wall-mounted foot rest
- ◆ Three pre-drilled mounting holes
- ◆ Three -#10 Stainless Steel Truss Head X 3" screws - included (to be used with blocking)
- ◆ solid one - piece cast marble
- ◆ Durable get coat surface
- ◆ Permanently sealed surface
- ◆ Will not mold or mildew
- ◆ Easy to install
- ◆ Maintenance free

## Technical Specifications

<b>Model</b>	: FR - 03- 27	: FR - 03- 30
<b>Type</b>	: Wall Mount	: Wall Mount
<b>Material</b>	: Cultured Marble	: Cultured Marble
<b>Length</b>	: 27"	: 30"
<b>Depth</b>	: 6"- tapers to 1/2"	: 6"- tapers to 1/2"
<b>Radius</b>	: 84 5/8"	: 84 5/8"
<b>Thickness</b>	: 1 1/2"	: 1 1/2"
<b>Weight</b>	: -7#	: -9#
<b>Finish</b>	: Matte/Gloss	: Matte/Gloss

**Special Notes** : 3 MAW 35 - SD Winglts (to be used when backing unavailable)



# Accessories - Shampoo Dish



## Item Number


SD - 01

## Standard Features

- ◆ Wall-mounted Soap dish
- ◆ solid one - piece cast marble
- ◆ Permanently sealed surface
- ◆ Extremely sanitary
- ◆ Will not mold or mildew
- ◆ Easy to install
- ◆ Easy to maintain

## Technical Specifications

<b>Model</b>	: SD -01
<b>Type</b>	: Wall Mount
<b>Material</b>	: Cultured Marble
<b>Size</b>	: 6 3/4" x 6 3/4" x 2 1/4"
<b>Height</b>	: 2 1/4"
<b>Finish</b>	: Matte/Gloss



# Glass Door



## Type

Simple Shower Enclosure

## Collection

Diamond

## Series

Raingle

## Specifications

**Model No.** : SE-DZ0001

**Shape** : 1 Glass Fixed  
1 Movable Door

**Thickness** : 10mm Nano Glass

**Door Open Style** : Sliding Door with 69mm  
4 Rollers (40 x 15mm  
304 rail)

**Handles** : 304 model  
H20 Mirror Polished

**Basement** : No

**Sealing Accessories:** Waterproof Strip without  
Magnetic Seal Strip

**Size** : 62"x78" (1574.8x1981.2mm)

## Specifications

**Model No.** : SE-ST222-122

**Shape** : 2 Movable Doors

**Thickness** : 10mm Clear Glass

**Door Open Style** : Sliding Doors, ss304,  
PCS Double Rollers

**Fixeture to wall** : No Profile brushed,  
Mirror Polished


**Handles** : H19 as Pictured  
2 Handles brushed,  
Mirror Polished

**Basement** : No

**Sealing Accessories:** Waterproof Strip ,  
4pcs Particle Collision

**Size** : 62"x78" (1574.8x1981.2mm)  
Nano Glass, SGCC

# Faucet











## Specifications

Item No	: CZ 445001-BN
Size	: W7.1"xH6.4"xD1.9"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 8
Package Size	: 48x38x30cm
Unit Volume	: 0.055
40HQ/PCS	: 9888
Gross Weight	: 14.2kg

## Specifications

Item No	: CZ 445001-CP
Size	: W7.1"xH6.4"xD1.9"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 8
Package Size	: 48x38x30cm
Unit Volume	: 0.055
40HQ/PCS	: 9888
Gross Weight	: 14.2kg


## Features

-   
 Brass
-   
 Enviromental Barss
-   
 CRI 80
-   
 Wet Rated
-   
 125psi
-   
 66C
-   
 Finger Free
-   
 50,000 th


# Faucet



Specifications	
Item No	: CZ 354001-CP
Size	: W5.4"xH6.8"xD2"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 10
Package Size	: 42x33x37cm
Unit Volume	: 0.0513
40HQ/PCS	: 11160
Gross Weight	: 14kg




## Features



# Faucet




Specifications	
Item No	: CZ 320001-BN
Size	: W6"xH6.5"xD2"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 10
Package Size	: 42x33x37cm
Unit Volume	: 0.0513
40HQ/PCS	: 11160
Gross Weight	: 17Kg



Specifications	
Item No	: CZ 320001-CP
Size	: W6"xH6.5"xD2"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 10
Package Size	: 42x33x37cm
Unit Volume	: 0.0513
40HQ/PCS	: 11160
Gross Weight	: 17kg

## Features






# Faucet



Specifications	
Item No	: CZ 318501-BN
Size	: W6.6"xH6.5"xD3.1"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 16
Package Size	: 52x38x36cm
Unit Volume	: 0.0711
40HQ/PCS	: 14784
Gross Weight	: 22kg



Specifications	
Item No	: CZ 318501-CP
Size	: W6.6"xH6.5"xD3.1"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 16
Package Size	: 52x38x36cm
Unit Volume	: 0.0711
40HQ/PCS	: 14784
Gross Weight	: 22kg


## Features

- Brass
- Enviromental Barss
- CRI 80
- Wet Rated
- 125psi
- 66C
- Finger Free
- 50,000 th

# Faucet



Specifications	
Item No	: CZ 370002-BN
Size	: W8.5"xH13.2"xD4.1"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 10
Package Size	: 56x48x37cm
Unit Volume	: 0.0995
40HQ/PCS	: 6930
Gross Weight	: 22kg



## Features

- Brass
- Enviromental Barss
- CRI 80
- Wet Rated
- 125psi
- 66C
- Finger Free
- 50,000 th

# Faucet




## Specifications









Item No	: CZ 364106-BN
Size	: W7"xH7.9"xD6.8"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 4
Package Size	: 54x42x35cm
Unit Volume	: 0.0794
40HQ/PCS	: 3136
Gross Weight	: 12Kg

## Specifications

Item No	: CZ 364106-PC
Size	: W7"xH7.9"xD6.8"
Working Pressure	: 10psi~80psi
Flow Rate	: 1.5 gpm
PCS/CTN	: 4
Package Size	: 54x42x35cm
Unit Volume	: 0.0794
40HQ/PCS	: 3136
Gross Weight	: 12kg



## Features

-   
Brass
-   
Environmental  
Barss
-   
CRI 80
-   
Wet  
Rated
-   
125psi
-   
66C
-   
Finger  
Free
-   
50,000 th

# Accessories

## Hair Dryer




## Shower Rod




## Air Plunger




## Towel Bar



## Toilet Tissue Holder



## Towel Shelf





## Contact us

### Address

25400 Industrial Park Road, Ardmore, TN 38449

### Phone

Parth Patel: (938) - 310 - 8137 | Striker Patel: (938) - 310 - 8136

### E-mail

[bathsupply@usahospitalitytn.com](mailto:bathsupply@usahospitalitytn.com)

### Website

[www.usahospitalitytn.com](http://www.usahospitalitytn.com)

THANK YOU